

Why VEMA?

1

Performance

- Superior outreach, transport length & below-ground reach
- Fully customisable - compatible with any chassis
- Market leading setup times

2

Technology

- Dedicated R&D
- Smart, connected technology for real-time monitoring
- Fast on-site & remote digital service

3

Support

- 24/7 technical support and monitoring via VEMAs Servicelink
- Alexander Perrie has over 40 years experience in the Aerial Platform Industry
- Local servicing, parts and troubleshooting support

4

Safety & Environment

- Back up operation system for critical scenarios without remote connection or sensor recalibration needed
- Quality Management ISO 9001:2015
- Environmental Management ISO 14001:2015

Product **Range** Overview

VEMA aerial platforms are engineered for exceptional performance across fire, rescue, and industrial operations.

Working Height

21 to 114 metres

Horizontal Reach

Up to 40 metres

Below-Ground Reach

Up to 22 metres

Cage Load

Up to 600 kg

Water/Foam Flow

Up to 10,000 LPM

Transport Length

9.4 – 13 metres

 All units are powder-coated for corrosive protection and feature H-Type outriggers for maximum stability.

F-Series

The F-Series covers working heights from 32 to 70 metres, with horizontal outreach up to 35 m, cage load of 500 kg, and water/foam monitor capacity of 3,800 l/min across all models.

| Model | 32F | 38F | 42F | 45F | 52F | 56F | 60F | 64F | 70F |
|----------------|------|------|------|------|------|------|------|------|------|
| Vertical (m) | 32 | 38 | 42 | 45 | 52 | 56 | 60 | 64 | 70 |
| Horizontal (m) | 27 | 31 | 31 | 28.5 | 29 | 29 | 34 | 34 | 35 |
| Up & Over (m) | 12 | 12 | 12 | 14 | 14 | 14 | 14 | 14 | 14 |
| Length (m) | 9.4 | 10 | 10 | 10 | 11.8 | 11.8 | 11.9 | 11.9 | 12 |
| Height (m) | 3.5 | 3.6 | 3.6 | 3.7 | 3.8 | 3.8 | 3.9 | 3.9 | 4 |
| Monitor (LPM) | 3800 | 3800 | 3800 | 3800 | 3800 | 3800 | 3800 | 3800 | 3800 |
| Weight (t) | 18 | 26 | 26 | 26 | 27 | 27 | 31 | 31 | 32 |

32F

Tulossa uusia koteja –
As. Oy Turun Prikanttiini
skanska.fi/prikanttiini
SKANSKA



45F

